

10.4 inch
NL10276BC20-04



High Resolution


1024 × 768 pixels

262,144 colors

High resolution of
1024 × 768 pixels
High luminance of 300cd/m²
LVDS interface

NL10276BC20-04			
Screen	10.4" diagonal screen	Viewing angle	Up 45°, down 60°, right 60°, left 60° typical
Display area	210.4(H) × 157.8(V) mm	Response time	15ms typical
Number of pixels	1024 × 768	Input signals	LVDS interface (digital RGB 6bits)
Display colors	262,144 colors	Power supply	3.3V
Pixel pitch	0.206(H) × 0.206(V) mm	Power consumption	6.5W typical
Luminance	300cd/m ² typical	Operating temperature	0°C to +60°C
Backlight	2 cold cathode fluorescent lamps	Storage temperature	-20°C to +70°C
Backlight inverter	option (104PW191)	Outline dimensions	243(W) × 185.1(H) × 11.5(D) mm
Contrast ratio	300:1 typical	Weight	Approx. 530g

unit:mm



Specifications are subject to change without notice.

For further information, please contact us:

NEC Corporation
NEC Electron Devices
Tokyo, Japan 03-3798-6148
www.ic.nec.co.jp/index_e.html

[North & South America]
NEC Electronics Inc.
Santa Clara, CA, USA 408-588-6000
www.necel.com/

[Europe]
NEC Electronics (Germany) GmbH
Düsseldorf, Germany 0211-650302
www.nec.de/

[Asia & Oceania]
NEC Electronics Hong Kong Limited
Taikoo Wan Road, Hong Kong 2886-9318
www.elhk.nec.com.hk/

NEC Electronics Singapore Pte. Ltd.
Novena Square, Singapore 253-8311
www.nec.com.sg/es/